


**USB ready** Measuring Instruments



Data Connection Cable **16 EXu**  
**Order no. 4102357**  
 incl. MarCom Standard

for **MarCal.** Calipers  
 16 EX / EXP  
 16 EXV  
 18 EX / EXP  
 30 EX / EXN



for **Digimar.** Height Gages  
 814 S



for **Micromar.** Micrometers  
 40 EX, 40 EWS, 40 EWW  
 44 EX, 46 EX



for **MarCator.** Dig. Indicators  
 1075, 1080, 1081,  
 1086, 1087



Data Connection Cable **2000 usb**  
**Order no. 4346023**  
 incl. MarCom Standard

for **MarCator.** Dig. Indicators  
 1088



for **Millimes.** Digital  
 Comparators  
 2000  
 2001  
 2100



Data Connection Cable **MC-I**  
**Order no. 4102782**  
 incl. MarCom Standard

for **Foot switch**  
**Order no. 4102058**






USB-HUB 7-fold industrial model  
**220 V** Order no. 4102553  
**110 V (US type)** Order no. 2245786



# MarConnect. Interfaces


## Overview

Connect to ...  Instrument	PC			
	 direct via USB and MarCom Software	 direct via RS232C and MarCom Software	 via Digi-USB 1	via T-Box
Foot Switch	4102058+4102782 ③	4102058+4102782 ②③	-----	4102556
16 EX / EXC 16 EXV 18 EX 30 EX / EXN 40 EX, 40 EWS, 40 EWW, 46 EX, 44 EX 1075, 1080, 1081, 1086, 1087 814 S	4102357	4102410	4102411	4102411
2000, 2001, 2100 1088	4346023	4346020	4346021	4346021
838 EA, 838 EI	-----	-----	4495084 ⑥	4495084 ⑥
Maxµm III (10 pin output) (6 pin output)	-----	-----	2239038 2239036	2239037 2239035
µMaxµm, µMaxµm XL	-----	SCB-4	2001025	2001025
25 ES 30 EWD 31 ES, 32 ES 106 ES M 814	4102510+4102330	4102510	-----	4102510
MSP 2	4102711+4102334 ④	4102711 ④	-----	-----
1240, S1840, C1245, C1208, C1216	7024634+4102331 ⑤	7024634 ⑤	-----	4102715
Digimar CX 1, CX 2, 817 CLM	7024634+4102333 ④	7024634 ④	-----	-----













① Only available in North America, Canada and Mexico  
 ② Foot switch; only with an additional USB Port  
 ③ Cable length 18 cm / 7"

④ Data transmission only with the "Data" key or "automatic transmission" on the measuring instrument  
 ⑤ Foot switch to transfer data on the measuring instrument  
 Millimar - Order no. 5330956 / Millimar 1240 - Order no. 5312431

▶ | **MarConnect.** Regardless of which interface standard you use, whether; USB, OptoRS232 oder Digimatic, MarConnect always provides you with the optimum connection. | ◀

 <b>Transmitter ①</b> <b>FM 1 via</b> <b>USB</b>	<b>Data printer</b> <b>MSP 2</b>
-----	4102058
4102321	4102411
-----	4346021
Contact Mahr Federal	4495084 ⑥
-----	2239037 2239035
Contact Mahr Federal	2001025
4102322	4102510
-----	-----
2121315 ⑦	7024634
2121315	7024634 ④

Standard cable length 2 m



⑥ Cable length 1.5 m / 5 ft  
⑦ Not for Millimar 1240